

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number: 2605-0031

Page 1 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0078	SS1-0-100 04.05.26 7.15am	Calcium, soluble/exchangeable	4.27 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	8 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	1.94 cmol/kg	LTM-S-005	0.02
		Nitrate as N	1 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	333 kg/ha	* R&L 9I2a	
		Phosphorus, Total	643 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	6.2 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.34 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	1.46 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	2350 mg/kg	LTM-S-011	2
26May-0079	SS2-0-100 04.05.26 7.45am	Calcium, soluble/exchangeable	5.60 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	9 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	2.03 cmol/kg	LTM-S-005	0.02
		Nitrate as N	16 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	381 kg/ha	* R&L 9I2a	
		Phosphorus, Total	3860 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	5.4 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.52 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.47 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	3350 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number: 2605-0031

Page 2 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0080	SS3-0-100 04.05.26 8.15am	Calcium, soluble/exchangeable	5.11 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	11 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	3.72 cmol/kg	LTM-S-005	0.02
		Nitrate as N	13 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	555 kg/ha	* R&L 9I2a	
		Phosphorus, Total	356 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	7.1 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.98 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	1.19 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	3830 mg/kg	LTM-S-011	2
26May-0081	SS4-0-100 04.05.26 8.45am	Calcium, soluble/exchangeable	9.42 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	17 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	5.09 cmol/kg	LTM-S-005	0.02
		Nitrate as N	9 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	374 kg/ha	* R&L 9I2a	
		Phosphorus, Total	948 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	6.9 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	1.23 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	1.00 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	4230 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number: 2605-0031

Page 3 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0082	SS5-0-100 04.05.26 9.15am	Calcium, soluble/exchangeable	2.80 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	5 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	0.91 cmol/kg	LTM-S-005	0.02
		Nitrate as N	3 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	222 kg/ha	* R&L 9I2a	
		Phosphorus, Total	144 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	8.0 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.27 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.72 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	719 mg/kg	LTM-S-011	2
26May-0083	SS6-0-100 04.05.26 9.20am	Calcium, soluble/exchangeable	4.74 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	6 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	0.82 cmol/kg	LTM-S-005	0.02
		Nitrate as N	3 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	270 kg/ha	* R&L 9I2a	
		Phosphorus, Total	193 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	8.5 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.37 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.06 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	1580 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number: 2605-0031

Page 4 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0084	SS7-0-100 04.05.26 10.35am	Calcium, soluble/exchangeable	3.67 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	6 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	1.37 cmol/kg	LTM-S-005	0.02
		Nitrate as N	16 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	264 kg/ha	* R&L 9I2a	
		Phosphorus, Total	282 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	7.9 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.36 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.85 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	1390 mg/kg	LTM-S-011	2
26May-0085	SS8-0-100 04.05.26 10.45am	Calcium, soluble/exchangeable	5.85 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	9 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	2.09 cmol/kg	LTM-S-005	0.02
		Nitrate as N	15 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	880 kg/ha	* R&L 9I2a	
		Phosphorus, Total	183 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	6.0 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.40 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.31 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	3420 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number: 2605-0031

Page 5 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0086	SS9-0-100 04.05.26 10.55am	Calcium, soluble/exchangeable	3.17 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	14 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	10.0 cmol/kg	LTM-S-005	0.02
		Nitrate as N	13 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	831 kg/ha	* R&L 9I2a	
		Phosphorus, Total	95 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	6.5 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.33 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.42 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	11500 mg/kg	LTM-S-011	2
26May-0087	SS10-0-100 04.05.26 11.15am	Calcium, soluble/exchangeable	2.23 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	3 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	0.63 cmol/kg	LTM-S-005	0.02
		Nitrate as N	4 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	368 kg/ha	* R&L 9I2a	
		Phosphorus, Total	169 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	5.7 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.44 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.03 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	2000 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number:2605-0031

Page 6 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0088	SS1-500-600 04.05.26 7.15am	Calcium, soluble/exchangeable	4.91 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	20 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	9.10 cmol/kg	LTM-S-005	0.02
		Nitrate as N	19 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1170 kg/ha	* R&L 9I2a	
		Phosphorus, Total	157 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	7.2 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	1.45 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	4.24 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	1130 mg/kg	LTM-S-011	2
26May-0089	SS2-500-600 04.05.26 7.45am	Calcium, soluble/exchangeable	6.88 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	21 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	9.57 cmol/kg	LTM-S-005	0.02
		Nitrate as N	6 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1360 kg/ha	* R&L 9I2a	
		Phosphorus, Total	421 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	7.7 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.72 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	3.86 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	1080 mg/kg	LTM-S-011	2



Charles Sturt
University

ENVIRONMENTAL AND ANALYTICAL
LABORATORIES

Locked Bag 588
Wagga Wagga NSW 2678

Tel: +61 2 6933 2849
Fax: +61 2 6933 2477
Email: eal@csu.edu.au
http://science-health.csu.edu.au/eal

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number:2605-0031

Page 7 of 11

For all enquiries related to this report please quote document number: 2605-0031

Facility:	Order #	Date Analysis Commenced
	EPL Soils 2025/26	07-May-2026

Sample Type	Collected By	Date Received
Soil	M. Sperring	07-May-2026

EAL ID	Client ID. Date/Time sample taken	Test	Result (units)	Method Reference	Limit of Reporting
26May-0090	SS3-500-600 04.05.26 8.15am	Calcium, soluble/exchangeable	3.67 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	14 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	5.65 cmol/kg	LTM-S-005	0.02
		Nitrate as N	2 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1300 kg/ha	* R&L 9I2a	
		Phosphorus, Total	93 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	8.4 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.40 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	4.21 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	543 mg/kg	LTM-S-011	2
26May-0091	SS4-500-600 04.05.26 8.45am	Calcium, soluble/exchangeable	6.34 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	21 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	8.66 cmol/kg	LTM-S-005	0.02
		Nitrate as N	4 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1040 kg/ha	* R&L 9I2a	
		Phosphorus, Total	165 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	8.6 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.62 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	5.28 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	1290 mg/kg	LTM-S-011	2

www.csu.edu.au

CRICOS Provider Numbers for Charles Sturt University are 00005F (NSW), 01947G (VIC) and 02960B (ACT). ABN: 83 878 708 551

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number: 2605-0031

Page 8 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0092	SS5-500-600 04.05.26 9.15am	Calcium, soluble/exchangeable	2.83 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	20 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	10.3 cmol/kg	LTM-S-005	0.02
		Nitrate as N	4 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1400 kg/ha	* R&L 9I2a	
		Phosphorus, Total	28 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	8.2 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.94 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	5.76 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	1160 mg/kg	LTM-S-011	2
26May-0093	SS6-500-600 04.05.26 9.20am	Calcium, soluble/exchangeable	8.67 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	18 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	6.94 cmol/kg	LTM-S-005	0.02
		Nitrate as N	1 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1430 kg/ha	* R&L 9I2a	
		Phosphorus, Total	30 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	8.1 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.64 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	1.93 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	626 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number:2605-0031

Page 9 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0094	SS7-500-600 04.05.26 10.35am	Calcium, soluble/exchangeable	3.87 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	24 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	13.4 cmol/kg	LTM-S-005	0.02
		Nitrate as N	2 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1460 kg/ha	* R&L 9I2a	
		Phosphorus, Total	23 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	7.5 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.34 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	6.60 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	383 mg/kg	LTM-S-011	2
26May-0095	SS8-500-600 04.05.26 10.45am	Calcium, soluble/exchangeable	0.10 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	5 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	3.46 cmol/kg	LTM-S-005	0.02
		Nitrate as N	2 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	982 kg/ha	* R&L 9I2a	
		Phosphorus, Total	33 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	5.6 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.21 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.96 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	653 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number:2605-0031

Page 10 of 11

For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026

<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u> Date/Time sample taken	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
26May-0096	SS9-500-600 04.05.26 10.55am	Calcium, soluble/exchangeable	2.14 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	18 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	14.8 cmol/kg	LTM-S-005	0.02
		Nitrate as N	5 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1110 kg/ha	* R&L 9I2a	
		Phosphorus, Total	53 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	6.6 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.26 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.67 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	940 mg/kg	LTM-S-011	2
26May-0097	SS10-500-600 04.05.26 11.15am	Calcium, soluble/exchangeable	1.18 cmol/kg	LTM-S-005	0.02
		Effective Cation Exchange Capacity	22 cmol/kg	* R&L J1	1
		Magnesium, soluble/exchangeable	9.04 cmol/kg	LTM-S-005	0.02
		Nitrate as N	4 mg/kg	LTM-S-007	1
		Phosphorus Sorption Capacity	1260 kg/ha	* R&L 9I2a	
		Phosphorus, Total	22 mg/kg	LTM-S-015	2
		pH (1:5 soil/water)	6.9 pH units	LTM-S-004	
		Potassium, soluble/exchangeable	0.32 cmol/kg	LTM-S-005	0.05
		Sodium, soluble/exchangeable	0.64 cmol/kg	LTM-S-005	0.02
		Total Kjeldahl Nitrogen	815 mg/kg	LTM-S-011	2

Southern Meats Pty Ltd
Mazamet Road PO Box 244
Goulburn NSW 2580
Attention: Scott Newton

Wednesday, June 17, 2026



NATA Accredited Laboratory
Number: 9597

Accredited for compliance with
ISO/IEC 17025 - Testing

REPLACEMENT LABORATORY ANALYSIS REPORT

This Report Replaces Report Sent on 15/06/2026

Report Number: 2605-0031

Page 11 of 11


For all enquiries related to this report please quote document number: 2605-0031

<u>Facility:</u>	<u>Order #</u>	<u>Date Analysis Commenced</u>
	EPL Soils 2025/26	07-May-2026
<u>Sample Type</u>	<u>Collected By</u>	<u>Date Received</u>
Soil	M. Sperring	07-May-2026

<u>EAL ID</u>	<u>Client ID.</u>	<u>Test</u>	<u>Result (units)</u>	<u>Method Reference</u>	<u>Limit of Reporting</u>
	Date/Time sample taken				

Note:

* NATA Accreditation does not cover the performance of this service.



Signed Michael Glazier, Laboratory Manager.

All samples analysed as received.
All soil results are reported on a dry basis.
The EAL takes no responsibility for the end use of results within this report.
This report shall not be reproduced except in full.
This report replaces any previously issued report